



YANGON TYRE



★★★★★
NHTSA

www.nhtsa.gov

USA (NHTSA)
DOT-YN

ISO : 9001 - 2015

PRODUCT CATALOG



Certificate of Registration

This is to certify that the

QUALITY MANAGEMENT SYSTEM

of

AUNG HTET MYET CO., LTD.

Block No. 36/37, Pabegaung Mg Khet Street, Industrial Zone No. 4, Shwe Pyi Thar Industrial Zone,
Yangon, 11411, MYANMAR

for


Manufacture of Vehicle Tyres and Flaps

has been assessed and registered against the provisions of

ISO 9001:2015

International Standard

with

Registration Number:	38Q19861	Cycle Start Date:	20 November 2021
Project:	55-19861-2-Q	Approval Date:	29 November 2021
		Issue Date:	29 November 2021
Certification Approved By:		Expiry Date:	20 November 2024
Doug Page-Symonds			
Chief Executive Officer			



This certificate remains the property of GCL International Ltd.
Registration is subject to the Scheme Rules which are published at
www.gcl-intl.com. Any misuse, alteration, forgery or falsification is an
unlawful act. Please validate the authenticity of this certificate by
visiting www.gcl-intl.com or email to certification@gcl-intl.com

GCL INTERNATIONAL LTD

Level 1, Devonshire House, One Mayfair Place, London,
W1J 8AJ, United Kingdom.



S/N: 80021560
PIN: 33911513

YANGON TYRE FACTORY



BELIN RADIAL PCR TYRE FACTORY





STEEL RADIAL TYRE

 YT - 168	145R12C (8PR) 155R12C (8PR) 165R13C (8PR) 175R13C (8PR) 175R14C (8PR) 185R14C (8PR) 195R14C (8PR) 195R15C (8PR) 205/75R16 (12PR)	 YT - 700	P265/70R16
 YT - Premier Taxi	185/70R14	 YTB - 300	6.50 R16 LT (12PR) 7.00 R16 LT (12PR)
 YT - 219	165/80R13	 YTB - 210	6.50 R16 LT (12PR) 7.00 R16 LT (14PR) 195/85R16 LT 205/85R16 LT
 YT - 579	205/70R15C (8 PR)	 YTB - 804	195/85R16 LT 205/85R16 LT
 YT - P1	195/65R15 205/65R15	 YT - 268	500R12(10PR)
 YT - 567	175/70 R14	 YT - 701	215/75R15 (6PR)
 YT - 569	195/70 R14	 YT - 577	215/75R16 (12PR)

	5.00-12 (8 PR) 5.50-13 (8 PR) 6.00-13 (8/10 PR) 6.00-14 (8 PR) 6.50-14 (10 PR) 6.00-15 (10 PR) 6.50-15 (12 PR) 6.50-16 (12 PR) 7.00-15 (14 PR) 7.00-16 (12/14 PR) 7.50-15 (16 PR) 7.50-16 (16 PR) 8.25-16 (14 PR)		8.25-20 (16 PR) 9.00-20 (16 PR)
	5.00-12 (10PR) (R/L)		5.00-12 (12 PR) 7.50-16 (16 PR) 8.25-16 (18 PR) 8.25-20 (18 PR) 9.00-20 (18 PR) 10.00-20 (18 PR) 11.00-20 (18 PR)
	7.00-16 (12PR)		5.50-13 (12 PR) 6.00-13 (10 PR) 6.00-14 (8 PR) 6.00-15 (10 PR) 6.50-15 (12 PR) 6.50-16 (12 PR) 7.00-16 (14 PR) 7.50-16 (16 PR) 8.25-16 (18 PR)
	7.00-15 (10 PR) 7.00-16 (12 PR) 7.50-16 (14 PR)		8.25-16 (18 PR) 8.25-20 (18 PR) 9.00-20 (18 PR) 10.10-20 (18 PR)
	9.00-20 (16 PR)		



AGRICULTURE TYRE

	12.4-24 (8/12 PR) 9.5-24 (8/12 PR) 8.3-24 (8 PR)		11.2-24 (8/12 PR)
YT - 357		YT - 135	
	6.00-12 (8 PR) 6.00-16 (10 PR) 7.50-16 (10 PR) 8.00-18 (8 PR)		6.50-20 (8 PR)
YT - 555		YT - 575	
	4.00-8 (6 PR)		12.4-24 (12 PR)
YT - 713		YT - 557	



TRICYCLE TYRE

	4.00-8 (6 PR)
YT - 748	

	70/90 -17 (4 PR)		80/90 -17 (4 PR)
YT - 124		YT - 128	
	2.25-17 (4 PR) 2.50-17 (4 PR) 2.75-17 (6 PR)		2.25-17 (4 PR) 2.50-17 (6 PR)
YT - 114		YT - 131	
	2.50-17 (4 PR)		2.50-17 (4 PR)
YT - 126		YT - 111	
	2.50-17 (4 PR)		2.50-17 (4 PR) 2.75-17 (6 PR)
YT - 122		YT - 127	
	2.50-17 (4 PR)		2.75-17 (6 PR)
YT - 113		YT - 116	
	90/90-14 TL (4 PR) (TUBELESS)		
YT - 314 4 PR			



MOTOR CYCLE TYRE

	2.50-17 (4 PR)		2.75-17 (6 PR)
YT - 115		YT - 123	
	2.75-17 (6 PR)		2.50-17 (4 PR) 2.75-17 (6 PR)
YT - 125		YT - 132	
	2.75-17 (6 PR)		80/90-14 (4 PR) 90/90-14 (4 PR) (TUBE TYPE) (TUBELESS)
YT - 133		YT - 312	
	60/100-17 (4 PR)		60/100-17 (4 PR) 70/90-17 (4 PR) 70/100-17 (4 PR) 2.50-17 (4 PR) 2.75-17 (6 PR)
YT - 118		YT - 119	
	60/90-17 (4 PR) 60/100-17 (4 PR)		80/90-17 (4 PR) 70/90-17 (4 PR)
YT - 117		YT - 129	
	80/90-14 TL (4 PR) (TUBELESS)		100/90-14 TL (14 PR) (TUBELESS)
YT - 135 4 PR		YT - 136 4 PR	